RECEIVED CENTRAL FAX CENTER AUG 2 3 2005

P1999,0008

CERTIFICATION OF MAILING OR TRANSMISSION

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the Commissioner for Patenta, P.O. Box 1450, Alexandria, VA 22313-1450 of facsimile transmitted to the U.S. Patent and Trademark Office on this date.

Signature A-4. 23, 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applic. No.: 09/736,266

Confirmation No: 8730

Applicant

: Adalbert Feltz et al.

Filed

: December 15, 2000 : 1775

Art Unit Examiner

: Gwendolynn A. Blackwell Rudasil

Title : Pie

: Piezoceramic Device

Docket No. : P1999,0008 Customer No.: 24131

RESPONSE TO INTERVIEW SUMMARY STATEMENT OF THE SUBSTANCE OF THE INTERVIEW.

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

This is in response to the Interview Summary dated August 11, 2005.

The Examiner's Summary of the Interview of August 9, 2005 is substantially correct. The discussion was centered about claim 47 and the reference Harada et al.. Counsel pointed out how claim 47 and several other claims were patentable over Harada et al.. Specific emphasis was placed on the distinction between the term "monolithic" and the formation, as in Harada et al., of a piezostack from pre-sintered elements. Further, discussion was had about the possibility of inserting a reference to the fact that applicant's stack is a cofired monolith of various layers.

Further agreement was reached towards the timing and strategy of the continuing prosecution. Applicant's representative requested that the Examiner wait for additional materials, possibly in declaration form, that would yet more definitively emphasize the monolithic structure of the novel stack. The additional submission will be presented shortly.

Respectfully submitted,

For Applicants

WERNER H. STEMER REG. NO. 34,956

WHS:sff - August 23, 2005 Lerner and Greenberg, P.A.

P.O. Box 2480

Hollywood, Florida 33022-2480

Tel.: (954) 925-1100 Fax: (954) 925-1101